



Pwconserve.org

I




Feederwatch.org

J



Becuo.com

K



Freewallpaperspot.com

L



Birdsofseabrookisland.org

N



Outdoorontario.net

M



Flickr.com

P



Gschneiderphoto.com

O

When visiting Carnwath Farms Historic Site & Park, we encourage you to do some birdwatching of your own. Our location along the banks of the Hudson River allows for a number of migrating birds to be seen here, either landing for a rest and refueling, or flying overhead, making their way up- or downriver, taking advantage of the Hudson River's natural migratory flyway.

We are always looking to add to our bird list, so let us know if you have spotted a bird other than those listed here. Give us the date seen and location in the park. We'll add your observation to our list! Whether a novice or seasoned birder, we invite you to stroll the beautiful, 100-acre grounds that are Carnwath Farms Historic Site and Park.

Any suggestions, questions, or comments?  
 Contact the Friends of Carnwath Farms HSP INC.  
 Call our offices at 845-632-1570  
 Email us at [info.carnwathfarmshsp@gmail.com](mailto:info.carnwathfarmshsp@gmail.com)  
 Or visit us online  
[www.carnwathfarms.webs.com](http://www.carnwathfarms.webs.com)



This first Issue was made by Trustee Donna Lenhart. 1/26/16



# Carnwath Farms Historic Site & Park



## A Guide to the Birds of Carnwath Farms Historic Site & Park

81 Carnwath Farms Lane  
 Wappingers Falls, NY 12590  
[www.carnwathfarms.webs.com](http://www.carnwathfarms.webs.com)

Cover: Red-Tailed Hawk; a-Northern Cardinal; b-Cedar  
 Waxwing; c-Brown Thrasher; d-House Wren; e-Great  
 Crested Flycatcher; f-Chimney Swift; g-Fish Crow; h-  
 Indigo Bunting; i-Baltimore Oriole; j-Red-bellied  
 Woodpecker; k-Barn Swallow; l-Blue Jay; m-Field  
 Sparrow; n-Mourning Dove; o-Black-capped  
 Chickadee; p-Common Yellowthroat; Raptor-Turkey  
 Vulture; Back Cover: Rose-breasted Grosbeak

**Passarines:** \* Merriam-Webster: of or relating to the largest order (Passeriformes) of birds which includes over half of all living birds and consists chiefly of altricial (helpless at birth or hatching and requiring parental care for a period of time) songbirds of perching habits.

- Field Sparrow
- White-throated Sparrow
- Common Yellowthroat
- Indigo Bunting
- Eastern Bluebird
- American Goldfinch
- Eastern Wood-Pewee
- Black-capped Chickadee

- Red-bellied Woodpecker
- Downy Woodpecker
- Pileated Woodpecker
- Northern Flicker
- Great Crested Flycatcher

- Blue Jay
- White-breasted Nuthatch
- Red-Winged Blackbird
- Brown-headed Cowbird
- Baltimore Oriole
- Rose-breasted Grosbeak
- Hermit Thrush
- Eastern Wood Thrush
- Barn Swallow

- Song Sparrow
- Chipping Sparrow
- Yellow Warbler
- House Wren
- Dark-eyed Junco
- Red-eyed Vireo
- Eastern Phoebe

- Northern Cardinal
- European Starling
- Cedar Waxwing
- Tree Swallow
- Gray Catbird
- American Robin
- Chimney Swift
- Brown Thrasher
- Mourning Dove

- American Crow
- Fish Crow

**Raptors:** def. – Merriam-Webster: a bird (such as an eagle or hawk) that kills and eats other animals for food.



lbc.lynxeds.com


**Accipiter:** Any of a genus (Accipiter) of medium-sized forest-inhabiting hawks that have short broad wings and a long tail and a characteristic flight pattern of several quick flaps and a glide.

Sharp-shinned hawk

**Buteo:** any of a genus (Buteo) of hawks with broad rounded wings, relatively short tails, and soaring flight.


Red-tailed hawk

See if you can identify some of the birds seen at Carnwath Farms HSP




A

Ed Schneider



B

Clipartqueen.com



C

allaboutbirds.org



D

ca.audubon.org




E

Pinterest.com



F

Tom Johnson



G

Bruce Van Allen



H

Birdsinfocus.com

